



**Government  
eProcurement  
System**

**Government eProcurement System**

**Published Corrigendum Details**

Date : 26-Apr-2021 05:08 PM

Print

<b>Organisation Chain :</b>	Council of Scientific and Industrial Research  CCMB-Hyderabad - CSIR  Purchase-CCMB - CSIR
<b>Tender ID :</b>	2021_CSIR_75413_1
<b>Tender Ref No :</b>	5486/170221/1669/EQPT
<b>Tender Title :</b>	High Speed Refrigerated Centrifuge
<b>Corrigendum Type :</b>	Other

**Corrigendum Document Details**

Corr.No.	Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size (in KB)
1	CHANGE IN TECHNICAL SPECIFICATIONS	CORRIGENDUM FOR CHANGE IN TECHNICAL SPECIFICATIONS OF CERTAIN TECHNICAL PARAMETERS FOR THE TENDER OF SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH SPEED FLOOR MODEL REFRIGERATED CENTRIFUGE	26-Apr-2021 05:08 PM	CORRIGENDUM5486.pdf	489.73



सीएसआईआर-कोशिकीय एवं आणविक जीवविज्ञान केन्द्र  
**CSIR-CENTRE FOR CELLULAR & MOLECULAR BIOLOGY**  
(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद्)  
(COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH)  
उप्पल रोड, हैदराबाद/Uppal Road, Hyderabad – 500 007 (तेलंगाना/TELANGANA) भारत/India

File Ref: 5486/170221/1669/EQPT

Date: 26.04.2021

**CORRIGENDUM**  
**(FOR CHANGE IN TECHNICAL SPECIFICATIONS)**

**REF: TENDER ID: 2021 CSIR 75413 1**

CCMB's response to request by the Bidder for change in specifications of certain technical parameters against Tender under reference for Supply, Installation and Commissioning of 'High Speed Floor Model Refrigerated Centrifuge with Rotors' is attached herewith for information and reference of all prospective Bidders as part of this amendment.

Bidders are requested to kindly go through the Corrigendum and upload their Bids in CPP Portal after taking into account the changes in specifications of certain technical parameters provided by CSIR-CCMB as part of the amended tender specifications (highlighted). In case of any discrepancies between tendered specifications and this amendment, requirements indicated in attached revised specifications shall prevail upon the same.

Sd/-  
[Dharmendra Kumar]  
Stores & Purchase Officer



## REVISED SPECIFICATIONS

### HIGH SPEED FLOOR MODEL REFRIGERATED CENTRIFUGE WITH ROTORS - 1 NO.

#### **I SPECIFICATIONS:**

Speed	:	29,000 rpm or more
g Force	:	100,000 x g or more
Capacity	:	4 liters or more
Control and Display	:	Microprocessor with Large touch screen display
Speed Control Accuracy	:	+/- 25 of set speed
Temperature Range	:	0° to 40° C
Temperature Control	:	+/- 2° C of set temperature
Drive System	:	Induction Drive System
Accelerations/Decelerations profiles	:	up to 9 or more profiles
Refrigeration System	:	Non-CFC Refrigeration technology
Sound level	:	< 62 dBa
Power	:	230 Volts, 50Hz, (Single Phase)

#### **II Other essential Features:**

- Automatic rotor identification system
- On screen help features
- Automatic Run Recalls
- Password protection for unique user profiles
- Programs operation – up to 100 or more users defined programs

#### **III Fixed Angle Rotors:**

1. Capacity : 8x50ml with adaptors for 10 ml tubes  
Speed : 29,000 or more  
RCF : 100,000 g or more  
Polypropylene Bottles with caps and O-ring to be offered - 100 Nos.
  
2. Capacity : 6 x 250ml  
Maximum Speed : 14,000 RPM or more  
RCF : 30,000 g or more  
Wide Mouth Polypropylene Bottles with caps and O-ring to be offered - 60 Nos.

**Important Note:**

1. Cost should include comprehensive on site **Three Years** Warranty of the complete System, including CIF Cost.
2. Required tubes and bottles (Polycarbonate, Polypropylene) with Adaptors, Caps etc., for 10ml, 50ml, 250ml, capacities for each rotor to be offered separately as optional.
3. Commitment for the supply of Complete Instruction, Service Manuals with Circuit diagrams and engineering details (including Refrigeration) to be supplied along with the system. Commitment to be made in the offer.
4. List of essential Spares parts required for the trouble Free Operation of the system during and after warranty to be given separately. (List to be attached)
5. Availability of local Service Support and response time for a Service Call during and after warranty to be mentioned.
6. Original Literatures containing detailed specifications and features of both the centrifuge and rotors should accompany the offer.
7. List of users in India (for the offered model) with Addresses, e-mail id's and contact phone numbers should be enclosed separately
8. All other terms and conditions of payment, delivery etc., to be mentioned clearly.
9. Demo of the centrifuge offered to be given on request from CCMB.